INDEX TO AUTHORS.

A

Allin, Kathleen Drew. See HARDING and ALLIN, 133

Anderson, Rubert S. See NELSON and ANDERSON, 443

Andrews, James C. The optical activity of cysteine, 209

B

Baerg, W. J. See SURE, 41

Barbour, Henry G., and **Hamilton, William F.** The falling drop method for determining specific gravity, 625

Barton, J. See MCCLENDON, 733

Bazin, Eleanor V. See RABINOWITCH, 283

Beaver, Jacob J. See BERNHARD and BEAVER, 113

Benedict, Stanley R., and **Nash, Thomas P., Jr.** The site of ammonia formation and the rôle of vomiting in ammonia elimination, 381

Bennett, Mary A. A comparison of the pH of serum and plasma of dog blood, 693

—. A note on Cullen's colorimetric method for the determination of the pH of blood plasma, 697

Bennett, Mary A. Some changes in the acid-base equilibrium of the blood caused by hemorrhage, 675

Bernhard, Adolph, and **Beaver, Jacob J.** The electrodialysis of human blood serum, 113

Bock, Joseph C., Schneider, Hans, and **Gilbert, Max.** Blood sugar studies. II. The initial rise, 9

Bodansky, Meyer. See HENDRIX, FAY, CALVIN, and BODANSKY, 449

Bolliger, Adolph. Phosphate metabolism as related to anesthesia, 721

Burt, K. L. See HUFFMAN and ROBINSON, 101

C

Calvin, Dea B. See HENDRIX, FAY, CALVIN, and BODANSKY, 449

Campbell, Walter R., and **Hanna, M. I.** The estimation of fructose, sucrose, and inulin. 703

Cannon, Helen C. See OSBORNE and MENDEL, 661

Carrick, Carey W. See HAUGE and CARRICK, 403

Chambers, William H. See DEUEL, CHAMBERS, and MILHORAT, 249

Conant, James B., and **Scott, Norman D.** The so called oxygen content of methemoglobin, 575

Coolidge, Thomas. See Redfield, Coolidge, and Hurd, 475

D

Deuel, Harry J., Jr., Chambers, William H., and **Milhorat, Adolph T.** Animal calorimetry. Thirty-third paper. The influence of amytal upon the metabolism of the dog, 249

—. See Plummer, Deuel, and Lusk, 339

Doisy, Edward A. See Ralls, Jordan, and Doisy, 357

Dutcher, R. Adams, and **Kruger, John Henry.** Vitamin studies. XIV. The influence of ultra-violet light on the antirachitic properties of purified rations used in the study of vitamin A, 277

E

Eckstein, H. C., and **Wile, Udo J.** The cholesterol and phospholipid content of the cutaneous epithelium of man, 181

Eichelberger, Marietta. The effect of light on creatinine and creatine excretion and basal metabolism, 17

Ellis, N. R., and **Isbell, H. S.** Soft pork studies. II. The influence of the character of the ration upon the composition of the body fat of hogs, 219

Ellis, N. R., and **Isbell, H. S.** III. The effect of food fat upon body fat, as shown by the separation of the individual fatty acids of the body fat, 239

Evenden, James. See Deuel, Chambers, and Milhorat, 249

—. See Plummer, Deuel, and Lusk, 339

F

Fay, Marion. See Hendrix, Fay, Calvin, and Bodansky, 449

Fetter, F. See McClendon, 733

Foster, G. L., and **Sundstroem, E. S.** A respiration apparatus for small animals, 565

G

Gaebler, Oliver Henry. The decomposition of creatinine with baryta, 613

Gilbert, Max. See Bock, Schneider, and Gilbert, 9

Glaser, Jerome. The lactic acid content of cerebrospinal fluid, 539

Griffith, Wendell H. Benzoylated amino acids in the animal organism. III. A method for the determination of hippuric acid and a study of the synthesis of hippuric acid in rabbits, 197

Gustus, Edwin L. See Jacobs and Gustus, 641

H

Haller, H. L. See Levene and Haller, 165, 569

Hamilton, William F. See BARBOUR and HAMILTON, 625

Hanna, M. I. See CAMPBELL and HANNA, 703

Harding, Victor John, and **Allin, Kathleen Drew.** Ketosis in pregnancy, 133

Harris, M. M., Lasker, Margaret, and **Ringer, A. I.** The effect of muscle and insulin on glucose *in vitro*, 713

Hauge, Sigfred M., and **Carrick, Carey W.** A differentiation between the water-soluble growth-promoting and antineuritic substances, 403

Hendrix, Byron M., Fay, Marion, Calvin, Dea B., and **Bodansky, Meyer.** The effect of excretion of acids and bases upon the development of acidosis in experimental diabetes, 449

Hoffmann, Alexander. See JACOBS and HOFFMANN, 153

Huddlestun, Bernice T. See ROSE and HUDDLESTUN, 599

Huffman, C. F., and **Robinson, C. S.** Studies on the chemical composition of beef blood. III. The blood picture of calves on a sole diet of milk or of milk with the addition of various supplements, 101

Hughes, J. S., and **Titus, R. W.** Should leg weakness in growing chicks be called rickets? 289

Humphrey, Gertrude J. Preservation of vitamin C in dried orange juice, 511

—. See MCCLENDON, HUMPHREY, and LOUCKS, 513

Hurd, Archer L. See REDFIELD, COOLIDGE, and HURD, 475

I

Isbell, H. S. See ELLIS and ISBELL, 219, 239

J

Jacobs, Walter A., and **Gustus, Edwin L.** Saponins. IV. The oxidation of hederagenin methyl ester, 641

— and **Hoffmann, Alexander.** Strophanthin. X. On K-strophanthin-β and other kombe strophanthins, 153

Jones, D. Breese. See MURPHY and JONES, 85

Jordan, C. N. See RALLS, JORDAN, and DOISY, 357

K

Kahn, George, and **Stokes, Joseph, Jr.** The comparison of the electrometric and colorimetric methods for determination of the pH of gastric contents, 75

Kendall, Edward C., and **Nord, F. F.** Reversible oxidation-reduction systems of cysteine-cystine and reduced and oxidized glutathione, 295

Kruger, John Henry. See DUTCHER and KRUGER, 277

L

Lamson, Paul D., and **Wing, Raymond.** The effect of carbon tetrachloride and alcohol on the acid-base balance of the blood, 349

Larson, R. E. See HUFFMAN and ROBINSON, 101

Lasker, Margaret. See HARRIS, LASKER, and RINGER, 713

Levene, P. A., and **Haller, H. L.** The configurational relationships of 2-hydroxy, 3-hydroxy, and 4-hydroxy acids, 165

— and —. II. Conversion of dextro-1-amino-3-hydroxy butane into dextro-1,3-dihydroxy butane, 569

— and **Meyer, G. M.** Pentamethyl glucose and its dimethyl acetal, 175

Lewis, George T., and **Lewis, Howard B.** The metabolism of sulfur. XI. Can taurine replace cystine in the diet of the young white rat? 589

Lewis, Howard B., and **Wilson, Robert** H. The metabolism of sulfur. X. The determination of cystine in the urine, 125

—. See LEWIS and LEWIS, 589

Ling, Schmorl M. The determination of protein in spinal fluid, with a note on the increase in protein in the spinal fluid in typhus fever, 397

Looney, Joseph M. The colorimetric estimation of tyrosine, tryptophane, and cystine in proteins. II, 519

Loucks, Milo M. See MCCLENDON, HUMPHREY, and LOUCKS, 513

Lusk, Graham. See PLUMMER, DEUEL, and LUSK, 339

M

Mahler, Abraham. Blood cholesterol during ether anesthesia, 653

McClendon, J. F. Colloidal properties of the surface of the living cell. II. Electric conductivity and capacity of blood to alternating currents of long duration and varying in frequency from 260 to 2,000,000 cycles per second, 733

—, **Humphrey, Gertrude J.,** and **Loucks, Milo M.** A portable calorimeter for the determination of both oxygen and carbon dioxide, 513

Mendel, Lafayette B. See OSBORNE and MENDEL, 661

Meyer, G. M. See LEVENE and MEYER, 175

Milhorat, Adolph T. See DEUEL, CHAMBERS, and MILHORAT, 249

Murphy, Joseph C., and **Jones, D. Breese.** Proteins of wheat bran. III. The nutritive properties of the proteins of wheat bran, 85

N

Nash, Thomas P., Jr., See BENEDICT and NASH, 381

Nelson, J. M., and **Anderson, Rubert S.** Glucose and fructose retardation of invertase action, 443

Nord, F. F. See KENDALL and NORD, 295

O

Osborne, Thomas B., and **Mendel, Lafayette B.** The relation of the rate of growth to diet. I, 661

P

Plummer, Norman H., Deuel, Harry J., Jr., and **Lusk, Graham.** Animal Calorimetry. Thirty-fourth paper. The influence of glycyl-glycine upon the respiratory metabolism of the dog, 339

Q

Quick, Armand J. The preparation and study of β, *d*-glycuronic acid monobenzoate (benzoyl glycuronic acid), 549

R

Rabinowitch, I. M. Studies concerning the origin of urinary ammonia. III, 283

Ralls, J. O., Jordan, C. N., and **Doisy, Edward A.** An improved procedure for the extraction of the ovarian hormone and some chemical properties of the product, 357

Redfield, Alfred C., Coolidge, Thomas, and **Hurd, Archer L.** The transport of oxygen and carbon dioxide by some bloods containing hemocyanin, 475

Reinhard, Melvin. See STENSTRÖM and REINHARD, 607

Ringer, A. I. See HARRIS, LASKER, and RINGER, 713

Robinson, C. S. See HUFFMAN and ROBINSON, 101

Rockwood, Reed. A study of the new Benedict method for the determination of blood sugar, 187

Rose, William C., and **Huddlestun, Bernice T.** The availability of taurine as a supplementing agent in diets deficient in cystine, 599

Rufe, R. See MCCLENDON, 733

S

Schlutz, Frederic W., and **Ziegler, Mildred R.** Some spectroscopic observations on cod liver oil. II. The absorption bands of cholesterol, 415

Schneider, Hans. See BOCK, SCHNEIDER, and GILBERT, 9

Scott, Norman D. See CONANT and SCOTT, 575

Sobotka, Harry. The oxidation of methylated glucoses, 267

Spoehr, H. A., and **Wilbur, Paul C.** The effect of disodium phosphate on *d*-glucose and *d*-fructose, 421

Stenström, Wilhelm, and Reinhard, Melvin. Some experiences with production of colloidal lead, 607

Stokes, Joseph, Jr. See KAHN and STOKES, 75

Sumner, James B. The isolation and crystallization of the enzyme urease. Preliminary paper, 435

Sundstroem, E. S. See FOSTER and SUNDSTROEM, 565

Sure, Barnett. Dietary requirements for reproduction. V. The rôle of various vegetable and fruit oils in fertility and lactation, 29

—. VI. Types of sterility produced on a skimmed milk powder reproduction-deficient diet, 41

—. VII. The existence of a lactation-promoting factor in the unsaponifiable matter from wheat oil, 53

Sxczypinski, Adam. See ROCKWOOD, 187

T

Titus, R. W. See HUGHES and TITUS, 289

V

Visscher, Maurice B. On the estimation of glucose in the presence of phosphate buffers, 1

—. On the optimum pH for glycogenase action and its bearing upon the regulation of the glucose level in the body, 3

W

Wilbur, Paul C. See SPOEHR and WILBUR, 421

Wile, Udo J. See ECKSTEIN and WILE, 181

Wilson, Robert H. See LEWIS and WILSON, 125

Wing, Raymond. See LAMSON and WING, 349

Z

Ziegler, Mildred R. See SCHLUTZ and ZIEGLER, 415

INDEX TO SUBJECTS.

A

Acid:
-base balance, blood, alcohol, effect (LAMSON and WING) 349
— —, —, carbon tetrachloride, effect (LAMSON and WING) 349
— —, —, in hemorrhage (BENNETT) 675

Acid(s):
Excretion, acidosis, development in diabetes (HENDRIX, FAY, CALVIN, and BODANSKY) 449

Acidosis:
Development in diabetes, acid excretion, effect (HENDRIX, FAY, CALVIN, and BODANSKY) 449
— — —, base excretion, effect (HENDRIX, FAY, CALVIN, and BODANSKY) 449

Alcohol:
Acid-base balance of blood, effect (LAMSON and WING) 349

Amino acid(s):
Benzoylated, in animal organism. III (GRIFFITH) 197

Ammonia:
Elimination, vomiting (BENEDICT and NASH) 381

Ammonia—*continued:*
Site of formation (BENEDICT and NASH) 381
Urine, origin. III (RABINOWITCH) 283

Amytal:
Metabolism, influence (DEUEL, CHAMBERS, and MILHORAT) 249

Anesthesia:
Ether, blood cholesterol (MAHLER) 653
Phosphate metabolism (BOLLIGER) 721

Apparatus:
Respiration, small animals (FOSTER and SUNDSTROEM) 565

B

Baryta:
Creatinine decomposition (GAEBLER) 613

Base:
Acid-base balance, blood, alcohol, effect (LAMSON and WING) 349
— —, —, carbon tetrachloride, effect (LAMSON and WING) 349
— —, —, in hemorrhage (BENNETT) 675

Base(s):
Excretion, acidosis, development in diabetes

Base(s)—*continued:*
(Hendrix, Fay, Calvin, and Bodansky) 449

Beef:
Blood. III (Huffman and Robinson) 101

Benedict:
Blood sugar method, new (Rockwood) 187

Benzoyl glycuronic acid:
(β, *d*-Glycuronic acid monobenzoate) preparation (Quick) 549

Blood:
Acid-base balance, alcohol, effect (Lamson and Wing) 349
— —, carbon tetrachloride, effect (Lamson and Wing) 349
— —, in hemorrhage (Bennett) 675
Beef. III (Huffman and Robinson) 101
Calves, milk diet (Huffman and Robinson) 101
Cholesterol, ether anesthesia (Mahler) 653
Electric capacity, alternating currents, long duration and varying frequency (McClendon) 733
— conductivity, alternating currents, long duration and varying frequency (McClendon) 733
Hemocyanin - containing, carbon dioxide transport (Redfield, Coolidge, and Hurd) 475

Blood—*continued:*
Hemocyanin - containing, oxygen transport (Redfield, Coolidge, and Hurd) 475
Plasma, hydrogen ion concentration (Bennett) 693
—, — — —, Cullen colorimetric method (Bennett) 697
Serum, electrodialysis (Bernhard and Beaver) 113
—, hydrogen ion concentration (Bennett) 693
Sugar. II (Bock, Schneider, and Gilbert) 9
— method, Benedict, new (Rockwood) 187

Bran:
Wheat, proteins. III (Murphy and Jones) 85
—, —, nutritive properties (Murphy and Jones) 85

Buffer(s):
Phosphate, glucose estimation in presence (Visscher) 1

C

Calorimeter:
Portable, carbon dioxide determination (McClendon, Humphrey, and Loucks) 513
—, oxygen determination (McClendon, Humphrey, and Loucks) 513

Calorimetry:
Animal. XXXIII (DEUEL, CHAMBERS, and MILHORAT) 249
—. XXXIV (PLUMMER, DEUEL, and LUSK) 339
Carbon dioxide:
Determination, calorimeter (MCCLENDON, HUMPHREY, and LOUCKS) 513
Transport, bloods containing hemocyanin (REDFIELD, COOLIDGE, and HURD) 475
Carbon tetrachloride:
Acid-base balance of blood, effect (LAMSON and WING) 349
Cell:
Living, colloidal properties of surface. II (MCCLENDON) 733
Cerebrospinal fluid:
Lactic acid content (GLASER) 539
Chick:
Leg weakness, and rickets (HUGHES and TITUS) 289
Cholesterol:
Absorption bands (SCHLUTZ and ZIEGLER) 415
Blood, ether anesthesia (MAHLER) 653
Cutaneous epithelium (ECKSTEIN and WILE) 181
Cod liver oil:
Spectroscopic observations. II (SCHLUTZ and ZIEGLER) 415
Colloid:
Cell, living, colloidal properties of surface. II (MCCLENDON) 733
Colloidal lead:
Production (STENSTRÖM and REINHARD) 607
Colorimetry:
Cullen method, hydrogen ion concentration, blood plasma (BENNETT) 697
Cystine estimation, proteins. II (LOONEY) 519
Hydrogen ion concentration of gastric contents, electrometric method, comparison (KAHN and STOKES) 75
Tryptophane estimation, proteins. II (LOONEY) 519
Tyrosine estimation, proteins. II (LOONEY) 519
Creatine:
Light effect on excretion (EICHELBERGER) 17
Creatinine:
Decomposition, baryta (GAEBLER) 613
Light effect on excretion (EICHELBERGER) 17
Cullen:
Colorimetric method, hydrogen ion concentration, blood plasma (BENNETT) 697
Cysteine:
-cystine, oxidation-reduction, reversible (KENDALL and NORD) 295
Optical activity (ANDREWS) 209

Cystine:
Cysteine-, oxidation-reduction, reversible (KENDALL and NORD) 295
Diet, deficient, taurine availability (ROSE and HUDDLESTUN) 599
Protein, colorimetric estimation. II (LOONEY) 519
Taurine replacement of, in diet (LEWIS and LEWIS) 589
Urine, determination (LEWIS and WILSON) 125

D

Dextro-1-amino-3-hydroxy butane:
Dextro-1,3-dihydroxy butane, conversion (LEVENE and HALLER) 569

Dextro-1,3-dihydroxy butane:
Dextro-1-amino-3-hydroxy butane, conversion (LEVENE and HALLER) 569

Diabetes:
Acidosis, development, acid excretion, effect (HENDRIX, FAY, CALVIN, and BODANSKY) 449
—, —, base excretion, effect (HENDRIX, FAY, CALVIN, and BODANSKY) 449

Diet:
Antirachitic properties, purified, vitamin A, ultraviolet light (DUTCHER and KRUGER) 277
Cystine-deficient, taurine availability (ROSE and HUDDLESTUN) 599

Diet—*continued:*
Cystine replacement by taurine (LEWIS and LEWIS) 589
Fat, body, composition influenced (ELLIS and ISBELL) 219
Growth, rate. I (OSBORNE and MENDEL) 661
Milk, blood picture of calves (HUFFMAN and ROBINSON) 101
—, skimmed, powder, reproduction-deficient, types of sterility (SURE) 41
Reproduction. V (SURE) 29
—. VI (SURE) 41
—. VII (SURE) 53
— -deficient, skimmed milk powder, types of sterility (SURE) 41
Taurine availability, cystine-deficient diet (ROSE and HUDDLESTUN) 599
— replacement of cystine (LEWIS and LEWIS) 589

Disodium phosphate:
d-Fructose, effect (SPOEHR and WILBUR) 421
d-Glucose, effect (SPOEHR and WILBUR) 421

E

Electric:
Blood, capacity, alternating currents, long duration and varying frequency (MCCLENDON) 733
—, conductivity, alternating currents, long dura-

Electric—*continued:*
tion and varying frequency (McClendon) 733
Electrodialysis:
Blood serum, (Bernhard and Beaver) 113
Enzyme:
Urease, crystallization (Sumner) 435
—, isolation (Sumner) 435
Epithelium:
Cutaneous, cholesterol content (Eckstein and Wile) 181
—, phospholipid content (Eckstein and Wile) 181
Equilibrium:
Acid-base, blood, alcohol, effect (Lamson and Wing) 349
—, —, carbon tetrachloride, effect (Lamson and Wing) 349
—, —, in hemorrhage (Bennett) 675
Ether:
Anesthesia, blood cholesterol (Mahler) 653
Excretion:
Acids, acidosis, development in diabetes (Hendrix, Fay, Calvin, and Bodansky) 449
Bases, acidosis, development in diabetes (Hendrix, Fay, Calvin, and Bodansky) 449
Creatine, light effect (Eichelberger) 17
Creatinine, light effect (Eichelberger) 17

F

Falling drop method:
Specific gravity determination (Barbour and Hamilton) 625
Fat:
Body, composition, influenced by ration (Ellis and Isbell) 219
—, effect of food fat (Ellis and Isbell) 239
—, fatty acids, individual, separation (Ellis and Isbell) 239
Food, effect on body fat (Ellis and Isbell) 239
Fatty acids:
Body fat, individual, separation (Ellis and Isbell) 239
Fertility:
Fruit oils, rôle (Sure) 29
Vegetable oils, rôle (Sure) 29
Food:
Fat, effect on body fat (Ellis and Isbell) 239
Fructose:
Estimation (Campbell and Hanna) 703
Invertase action, retardation (Nelson and Anderson) 443
d-**Fructose:**
Disodium phosphate, effect (Spoehr and Wilbur) 421
Fruit oil:
Fertility, rôle (Sure) 29
Lactation, rôle (Sure) 29

G

Gastric contents:
Hydrogen ion concentration, electrometric and colorimetric methods (KAHN and STOKES) 75

Glucose:
Estimation in presence of phosphate buffers (VISSCHER) 1
Insulin and muscle, *in vitro*, effect (HARRIS, LASKER, and RINGER) 713
Invertase action, retardation (NELSON and ANDERSON) 443
Level, regulation in body, and optimum hydrogen ion concentration for glycogenase action (VISSCHER) 3
Methylated, oxidation (SOBOTKA) 267
Muscle and insulin, *in vitro*, effect (HARRIS, LASKER, and RINGER) 713

***d*-Glucose:**
Disodium phosphate, effect (SPOEHR and WILBUR) 421

Glutathione:
Oxidized, oxidation-reduction, reversible (KENDALL and NORD) 295
Reduced, oxidation-reduction, reversible (KENDALL and NORD) 295

Glycogenase:
Hydrogen ion concentration, optimum, for action (VISSCHER) 3

β,*d*-Glycuronic acid monobenzoate:
(Benzoyl glycuronic acid) preparation (QUICK) 549

Glycyl-glycine:
Metabolism, respiratory, influence (PLUMMER, DEUEL, and LUSK) 339

Growth:
Diet, relation to rate. I (OSBORNE and MENDEL) 661
Growth-promoting substances, water-soluble, and antineuritic, differentiation (HAUGE and CARRICK) 403

H

Hederagenin methyl ester:
Oxidation (JACOBS and GUSTUS) 641

Hemocyanin:
Bloods containing, carbon dioxide transport (REDFIELD, COOLIDGE, and HURD) 475
— —, oxygen transport (REDFIELD, COOLIDGE, and HURD) 475

Hemorrhage:
Acid-base equilibrium, blood (BENNETT) 675

Hippuric acid:
Determination (GRIFFITH) 197
Synthesis (GRIFFITH) 197

Hormone:
Ovarian, chemical properties (RALLS, JORDAN, and DOISY) 357

Hormone—*continued:*
Ovarian, extraction (RALLS JORDAN, and DOISY) 357
Hydrogen:
Ion concentration, blood plasma (BENNETT) 693
— —, — —, Cullen colorimetric method (BENNETT) 697
— —, — serum (BENNETT) 693
— —, gastric contents, electrometric and colorimetric methods (KAHN and STOKES) 75
— —, optimum for glycogenase action (VISSCHER) 3
2-Hydroxy acids:
(LEVENE and HALLER) 165
II (LEVENE and HALLER) 569
3-Hydroxy acids:
(LEVENE and HALLER) 165
II (LEVENE and HALLER) 569
4-Hydroxy acids:
(LEVENE and HALLER) 165
II (LEVENE and HALLER) 569

I

Insulin:
Glucose, muscle, effect *in vitro* (HARRIS, LASKER, and RINGER) 713
Muscle, glucose, effect *in vitro* (HARRIS, LASKER, and RINGER) 713
Inulin:
Estimation (CAMPBELL and HANNA) 703
Invertase:
Fructose retardation of action (NELSON and ANDERSON) 443
Glucose retardation of action (NELSON and ANDERSON) 443
Ion:
Hydrogen, concentration, Cullen colorimetric method, blood plasma (BENNETT) 697
—, —, gastric contents, electrometric and colorimetric methods (KAHN and STOKES) 75
—, —, optimum for glycogenase action (VISSCHER) 3
—, —, plasma, blood (BENNETT) 693
—, —, serum, blood (BENNETT) 693

K

Ketosis:
Pregnancy (HARDING and ALLIN) 133

L

Lactation:
Fruit oils, rôle (SURE) 29
Vegetable oils, rôle (SURE) 29
Wheat oil, unsaponifiable matter, lactation-promoting factor (SURE) 53
Lactic acid:
Cerebrospinal fluid (GLASER) 539
Lead:
Colloidal, production (STENSTRÖM and REINHARD) 607

Leg weakness:
Chicks (HUGHES and TITUS) 289
Light:
Basal metabolism, effect (EICHELBERGER) 17
Creatine excretion, effect (EICHELBERGER) 17
Creatinine excretion, effect (EICHELBERGER) 17
Ultra-violet, antirachitic properties of purified rations, vitamin A (DUTCHER and KRUGER) 277

M

Metabolism:
Amytal influence (DEUEL, CHAMBERS, and MILHORAT) 249
Basal, light effect (EICHELBERGER) 17
Phosphate, anesthesia (BOLLIGER) 721
Respiratory, glycyl-glycine (PLUMMER, DEUEL, and LUSK) 339
Sulfur. X (LEWIS and WILSON) 125
—. XI (LEWIS and LEWIS) 589
Methemoglobin:
Oxygen content (CONANT and SCOTT) 575
Milk:
Diet, blood picture of calves (HUFFMAN and ROBINSON) 101
Skimmed, powder, reproduction-deficient diet, types of sterility (SURE) 41
Muscle:
Glucose, insulin, effect *in vitro* (HARRIS, LASKER, and RINGER) 713
Insulin, glucose, effect *in vitro* (HARRIS, LASKER, and RINGER) 713

N

Nutrition:
Wheat bran proteins (MURPHY and JONES) 85

O

Oil:
Cod liver. *See* Cod liver oil.
Fruit. *See* Fruit oil.
Vegetable. *See* Vegetable oil.
Wheat. *See* Wheat oil.
Orange juice:
Vitamin C, preservation (HUMPHREY) 511
Organism:
Animal, benzoylated amino acids. III (GRIFFITH) 197
Ovary:
Hormone, chemical properties (RALLS, JORDAN, and DOISY) 357
—, extraction (RALLS, JORDAN, and DOISY) 357
Oxidation:
Hederagenin methyl ester (JACOBS and GUSTUS) 641
Methylated glucoses (SOBOTKA) 267

Oxidation—*continued:*
Oxidation-reduction, reversible, cysteine-cystine (KENDALL and NORD) 295
—, —, glutathione, reduced and oxidized (KENDALL and NORD) 295
Oxygen:
Determination, calorimeter (MCCLENDON, HUMPHREY, and LOUCKS) 513
Methemoglobin, content (CONANT and SCOTT) 575
Transport, bloods containing hemocyanin (REDFIELD, COOLIDGE, and HURD) 475

P

Pentamethyl glucose:
Dimethyl acetal (LEVENE and MEYER) 175
Phosphate:
Buffers, glucose estimation in presence (VISSCHER) 1
Metabolism, anesthesia (BOLLIGER) 721
Phospholipid:
Cutaneous epithelium (ECKSTEIN and WILE) 181
Plasma:
Blood, hydrogen ion concentration (BENNETT) 693
—, — — —, Cullen colorimetric method (BENNETT) 697
Pork:
Soft, studies. II (ELLIS and ISBELL) 219
Pork—*continued:*
Soft, studies. III (ELLIS and ISBELL) 239
Pregnancy:
Ketosis (HARDING and ALLIN) 133
Protein(s):
Cystine, colorimetric estimation. II (LOONEY) 519
Spinal fluid, determination (LING) 397
— —, typhus fever, increase (LING) 397
Tryptophane, colorimetric estimation. II (LOONEY) 519
Tyrosine, colorimetric estimation. II (LOONEY) 519
Wheat bran. III (MURPHY and JONES) 85
— —, nutritive properties (MURPHY and JONES) 85

R

Reduction:
Oxidation-reduction, reversible, cysteine-cystine (KENDALL and NORD) 295
—, —, glutathione, reduced and oxidized (KENDALL and NORD) 295
Reproduction:
Diet, deficient, skimmed milk powder, types of sterility (SURE) 41
Dietary requirements. V (SURE) 29
— —. VI (SURE) 41

Reproduction—*continued:*
Dietary requirements. VII (SURE) 53
Respiration:
Apparatus, small animals (FOSTER and SUNDSTROEM) 565
Metabolism, glycyl-glycine (PLUMMER, DEUEL, and LUSK) 339
Rickets:
Leg weakness, chicks (HUGHES and TITUS) 289
Ultra-violet light, antirachitic properties of purified rations, vitamin A (DUTCHER and KRUGER) 277

S

Saponins:
IV (JACOBS and GUSTUS) 641
Serum:
Blood, electrodialysis (BERNHARD and BEAVER) 113
—, hydrogen ion concentration (BENNETT) 693
Skin:
See Epithelium.
Specific gravity:
Falling drop method (BARBOUR and HAMILTON) 625
Spinal fluid:
Protein, determination (LING) 397
—, typhus fever, increase (LING) 397
Sterility:
Diet, skimmed milk powder reproduction-deficient (SURE) 41
Stomach:
Hydrogen ion concentration of gastric contents, electrometric and colorimetric methods (KAHN and STOKES) 75
Strophanthin:
X (JACOBS and HOFFMANN) 153
Kombe (JACOBS and HOFFMANN) 153
K-Strophanthin-β:
(JACOBS and HOFFMANN) 153
Sucrose:
Estimation (CAMPBELL and HANNA) 703
Sugar:
Blood. II (BOCK, SCHNEIDER, and GILBERT) 9
—, Benedict method, new (ROCKWOOD) 187
Sulfur:
Metabolism. X (LEWIS and WILSON) 125
—. XI (LEWIS and LEWIS) 589

T

Taurine:
Cystine-deficient diet, availability (ROSE and HUDDLESTUN) 599
Cystine replacement by, in diet (LEWIS and LEWIS) 589
Tryptophane:
Protein, colorimetric estimation. II (LOONEY) 519
Typhus fever:
Spinal fluid, protein increase (LING) 397

Tyrosine:
Protein, colorimetric estimation. II (LOONEY) 519

U

Urease:
Enzyme, crystallization (SUMNER) 435
—, isolation (SUMNER) 435

Urine:
Ammonia, origin. III (RABINOWITCH) 283
Cystine determination (LEWIS and WILSON) 125

V

Vegetable oil:
Fertility, rôle (SURE) 29
Lactation, rôle (SURE) 29

Vitamin(s):
XIV (DUTCHER and KRUGER) 277
A, antirachitic properties of purified rations, ultraviolet light (DUTCHER and KRUGER) 277
Antineuritic (HAUGE and CARRICK) 403
C, preservation in orange juice (HUMPHREY) 511
Growth-promoting, water-soluble (HAUGE and CARRICK) 403
Water-soluble growth-promoting (HAUGE and CARRICK) 403

Vomiting:
Ammonia elimination (BENEDICT and NASH) 381

W

Wheat:
Bran, proteins. III (MURPHY and JONES) 85
—, —, nutritive properties (MURPHY and JONES) 85

Wheat oil:
Lactation-promoting factor, unsaponifiable matter (SURE) 53